


1. (3 points) Given the graph of  $f$  below, determine each of the following. Use  $\infty$ ,  $-\infty$  or “does not exist” (DNE) where appropriate.



- (a)  $f(-2) =$   
 (b)  $\lim_{x \rightarrow 2^-} f(x) =$   
 (c)  $\lim_{x \rightarrow -2} f(x) =$   
 (d)  $\lim_{x \rightarrow -3^+} f(x) =$   
 (e)  $\lim_{x \rightarrow 2} f(x) =$   
 (f)  $\lim_{x \rightarrow -\infty} f(x) =$

2. (8 points) Evaluate the following limits. Use  $\infty$ ,  $-\infty$  or “does not exist” (DNE) where appropriate.

(a)  $\lim_{x \rightarrow 3} \frac{\frac{1}{x+3} - \frac{1}{2x}}{x^2 - 9}$

(b)  $\lim_{x \rightarrow 4^-} \frac{2x^2 - 7x - 4}{x^2 - 8x + 16}$

3. (5 points) Given

$$f(x) = \begin{cases} x^2 - x & x < 3 \\ \frac{x^2 + 5x}{x - 5} & x \geq 3, \end{cases}$$

find the value(s) of  $x$  where the function is not continuous and justify your answers.

4. (14 points) Find the derivative of each of the following functions. Do not simplify your answers.

(a)  $f(x) = \sec(9x)$  (2 points)

(b)  $f(x) = (4x + 1)^3 \cos(7x^2 - 6x)$  (4 points)

(c)  $f(x) = \frac{3^{x^2} - 8x}{5 + \tan^6(x)}$  (4 points)

(d)  $f(x) = 8x^{\ln(x)}$  (4 points)

5. (4 points) Use logarithmic differentiation to find the derivative of  $y = \frac{\sqrt{2x+5}}{3^x(x+4)^7}$ .

6. (5 points) Given  $e^{xy} = x + 2y$
- Find  $y' = \frac{dy}{dx}$ .
  - Find an equation of the tangent line at the point  $(x, y) = (1, 0)$ .
7. (6 points) Find the absolute extrema of the function  $g(t) = t - 9\sqrt[3]{t}$  on the interval  $[-1, 5]$ .


8. (10 points) Given

$$f(x) = \frac{(x+1)}{(x+2)^2} \quad f'(x) = \frac{-x}{(x+2)^3} \quad f''(x) = \frac{2(x-1)}{(x+2)^4}$$

- Find the domain of  $f$ ,
  - Find the  $x$ - and  $y$ -intercepts of  $f$ ,
  - Find any vertical and horizontal asymptotes of  $f$ ,
  - Find the intervals of increase and decrease of  $f$ ,
  - Find any local extrema of  $f$ ,
  - Find the intervals of concavity of  $f$ ,
  - Find any points of inflection of  $f$ ,
  - Use your answers from the previous parts to sketch a graph of  $f$  on the grid below. Choose the scale of your axes carefully. Show all relevant information on the graph.
9. (6 points) A cooking school charges \$300 per student for a series of courses if exactly 12 sign up. However, if more than 12 students sign up, then each tuition is reduced by \$6 for each additional student. Note that the maximum enrolment is 62 and if fewer than 12 students sign up, then the courses are cancelled.
- How many students should be enrolled in the cooking school to maximize the revenue?
  - What would be the tuition per student in this case?
10. (4 points) The demand function of the new waterproof SoundDrop speaker is given by  $x = 300 - p^2$  where  $x$  is the quantity demanded and  $p$  is the unit price.
- Find the price elasticity of demand function.
  - Is the demand elastic or inelastic when  $p = \$15$ ?
  - Based on your answer in part (b), how, if at all, should the company modify its price to increase the revenue? Explain briefly.

## Answers

1. (a) 3 (b)  $-\infty$  (c)  $-1$  (d) 1 (e) DNE (f)  $-2$
2. (a)  $\frac{1}{216}$  (b)  $-\infty$
3.  $f(x)$  is discontinuous at  $x = 5$  and  $x = 3$ .
4. (a)  $f'(x) = 9 \sec(9x) \tan(9x)$   
 (b)  $f'(x) = 12(4x + 1)^2 \cos(7x^2 - 6x) - (4x + 1)^3 \sin(7x^2 - 6x)(14x - 6)$   
 (c)  $f'(x) = \frac{(3^{x^2-2x-8})(5+\tan^6(x))-6(3^{x^2-8x})\tan^5(x)\sec^2(x)}{(5+\tan^6(x))^2}$   
 (d)  $f'(x) = \frac{16}{x}x^{\ln(x)} \ln(x)$
5.  $y' = \frac{\sqrt{2x+5}}{3^x(x+4)^7} \left[ \frac{1}{2x+5} - \ln(3) - \frac{7}{x+4} \right]$
6. (a)  $y' = \frac{1-ye^{xy}}{xe^{xy}-2}$  (b)  $y = -x + 1$
7. Critical numbers:  $t = 0$ , absolute max:  $f(-1) = 8$  at  $x = -1$ , absolute min:  $f(5) \approx -10.39$  at  $x = 5$ .
8. (a)  $(-\infty, -2) \cup (-2, \infty)$   
 (b)  $x$ -intercept  $(-1, 0)$   $y$ -intercept  $(0, \frac{1}{4})$   
 (c) Vertical asymptote:  $x = -2$  Horizontal asymptote:  $y = 0$   
 (d)  $f$  is increasing on  $(-2, 0)$  and decreasing on  $(-\infty, -2) \cup (0, \infty)$   
 (e)  $f$  has a local max at  $(0, \frac{1}{4})$   
 (f)  $f$  is concave up on  $(1, \infty)$  and concave down on  $(-\infty, -2) \cup (-2, 1)$ .  
 (g)  $f$  has a point of inflection  $(1, \frac{2}{9})$   
 (h)



9. (a) 31 students (b) \$ 186
10. (a)  $E(p) = \frac{2p^2}{300-p^2}$   
 (b) The demand is elastic ( $E(15) = 6 > 1$ )  
 (c) Since the demand is elastic, the company should reduce the price to increase the revenue.